



Impact of oral probiotics on oral health and halitosis in patients treated with aligners or conventional fixed appliances vs placebo

Vasoglou G.* , Angelopoulos G.* , Kloukos D. , Pandis N.** , Sifakakis I.***

**Department of Orthodontics, School of Dentistry, National and Kapodistrian University of Athens, Athens, Greece*

*** Department of Orthodontics and Dentofacial Orthopedics, University of Bern, Switzerland*

References

1. Calzada-Gonzales N, Moreno-Colina I, Chu-Fuentes L, Andrade-Girón D, Tito-Chura HE, Quispe-Vicuña C, et al. Efficacy and safety of probiotic supplements on cognitive function: a systematic review and meta-analysis of randomized clinical trials. *BMC Complement Med Ther* 2025;25:432. [10.1186/s12906-025-05149-6](https://doi.org/10.1186/s12906-025-05149-6).
2. Shah SS, Nambiar S, Kamath D, Suman E, Unnikrishnan B, Desai A, et al. Comparative evaluation of plaque inhibitory and antimicrobial efficacy of probiotic and chlorhexidine oral rinses in orthodontic patients: A randomized clinical trial. *Int J Dent* 2019;2019:1964158. [10.1155/2019/1964158](https://doi.org/10.1155/2019/1964158)
3. Kaklamanos EG, Nassar R, Kalfas S, Al Halabi M, KowashM, Hannawi H, et al. A single-centre investigator-blinded randomised parallel group clinical trial to investigate the effect of probiotic strains *Streptococcus salivarius* M18 and *Lactobacillus acidophilus* on gingival health of paediatric patients undergoing treatment with fixed orthodontic appliances: Study protocol. *BMJ Open* 2019;1:9. [10.1136/bmjopen-2019-030638](https://doi.org/10.1136/bmjopen-2019-030638)
4. Bustamante M, Oomah BD, Mosi-Roa Y, Rubilar M, Burgos-Díaz C. Probiotics as an adjunct therapy for the treatment of halitosis, dental caries and periodontitis. *Probiotics Antimicrob Proteins* 2020;12:325-34. [10.1007/s12602-019-9521-4](https://doi.org/10.1007/s12602-019-9521-4)
5. Hampelska K, Jaworska MM, Babalska ZŁ, Karpiński TM. The role of oral microbiota in intra-oral halitosis. *J Clin Med* 2020;9:2484. [10.3390/jcm9082484](https://doi.org/10.3390/jcm9082484)
6. Benic GZ, Farella M, Morgan XC, Viswam J, Heng NC, Cannon RD, et al. Oral probiotics reduce halitosis in patients wearing orthodontic braces: A randomized, triple-blind, placebo-controlled trial. *J Breath Res* 2019;13:036010. [10.1088/1752-7163/ab1c81](https://doi.org/10.1088/1752-7163/ab1c81)

7. Silness J, Løe H. Periodontal disease in pregnancy. II. Correlation between oral hygiene and periodontal condition. *Acta Odontol Scand* 1964;22:121-35. [10.3109/00016356408993968](https://doi.org/10.3109/00016356408993968)
8. Løe H. The gingival index, the plaque index and the retention index. *J Periodontol* 1967;38:Suppl:610-6. [10.1902/jop.1967.38.6.610](https://doi.org/10.1902/jop.1967.38.6.610).
9. Tsironi K, Mylonopoulou IM, Pandis N, Vassilopoulos S, Sifakakis I, Papaioannou W. The effect of mastic mouthwash on halitosis and oral hygiene in orthodontic patients: a randomized clinical trial. *Eur J Orthod* 2023;45:781-7. [10.1093/ejo/cjad036](https://doi.org/10.1093/ejo/cjad036).
10. Gizani S, Petsi G, Twetman S, Caroni C, Makou M, Papagianoulis L. Effect of the probiotic bacterium *Lactobacillus reuteri* on white spot lesion development in orthodontic patients. *Eur J Orthod* 2016;38:85-9. [10.1093/ejo/cjv015](https://doi.org/10.1093/ejo/cjv015)
11. Krasse P, Carlsson B, Dahl C, Paulsson A, Nilsson A, Sinkiewicz G. Decreased gum bleeding and reduced gingivitis by the probiotic *Lactobacillus reuteri*. *Swed Dent J* 2006;30:55-60.
12. Kang MS, Kim BG, Chung J, Lee HC, Oh JS. Inhibitory effect of *Weissella cibaria* isolates on the production of volatile sulphur compounds. *J Clin Periodontol* 2006;33:226-32. [10.1111/j.1600-051X.2006.00893.x](https://doi.org/10.1111/j.1600-051X.2006.00893.x)

