

Κακώσεις του Οφθαλμού


















EYE SAFETY AND SPORTS

APPROXIMATELY

sports-related eye injuries each year in the U.S. are severe enough to require emergency room care.





About **90%** of sports injuries are preventable by wearing protective eyewear.




PROTECTIVE SPORTS EYEWEAR CAN:

shield the eyes from flying objects or physical contact with another player, block harmful UV rays and

potentially improve vision.

EYE SAFETY ON THE JOB



EYE SAFETY AT HOME



125,000 eye injuries each year in the U.S. are caused by household items.



1 AND 2-YEAR-OLD CHILDREN have the highest risk of burning their eyes with chemicals. Installing safety locks on cabinets can protect children from eye injuries.



certain toys also can cause eye injuries

in the home. Always choose age-appropriate toys and keep a close eye on them if the toy shoots projectiles or has very pointy parts.



WEAR SAFETY GOGGLES

while doing at-home repairs or renovation, painting, cleaning with chemicals, and doing yardwork.

Οφθαλμικές Κακώσεις

Επείγουσα κατάσταση

Συχνές βλάβες, σπανιότερα σοβαρές

Προσβολή οστών και μαλακών μορίων

Υψηλό διακύβευμα

Ποτέ μην υποθέτετε ότι η βλάβη είναι ασήμαντη

Χρήζουν άμεσης ιατρικής αντιμετώπισης

50% των σοβαρών κακώσεων συμβαίνουν στο σπίτι

Είδη Κακώσεων

- 1. eye lid lacerations-θλαστικά βλεφάρων
- 2. corneal abrasions-τραύμα κερατοειδή
- 3. retinal detachment-αποκόλληση αμφιβληστροειδή
- 4. optic nerve damage-βλάβη οπτικού νεύρου
- 5. rupture of the eyeball-ρήξη βολβού
- 6. complete blindness-τύφλωση

Συμπτώματα Οφθαλμικών Κακώσεων

Αίμορραγία εντός ή περιοφθαλμικά

Πόνος

Ανάγκη τριψίματος

Απώλεια ή μείωση όρασης

Θόλωση όρασης

Τύφλωση



Αξιολόγηση Οφθαλμικών Κακώσεων

Έλεγχος όλων των ανατομικών μορίων

Οίδημα, τραύματα, ευαισθησία, όραση

Ερυθρότητα, πύον, ξένα σώματα

Έλεγχος ἱριδας και κόρης

Αντίδραση σε φως


Έλεγχος κινητικότητας σε όλες τις κατευθύνσεις

Πόνος στις κινήσεις;










Normal eye

In a healthy eye, the sclera is essentially white with only a few small blood vessels visible. There is an adequate tear film, with no significant discharge or watering.



Bacterial conjunctivitis

A red eye with a sticky yellow or yellow/green discharge. Eyelids may be stuck together upon waking. Can affect one or both eyes. Usually spread by direct contact only.




Viral conjunctivitis


The type of conjunctivitis most commonly associated with the term "pink eye." Appearance: red, itchy, watery eye. Can affect one or both eyes. Highly contagious.



Allergic conjunctivitis

Very similar in appearance to viral conjunctivitis, but accompanied by nasal congestion, sneezing, eyelid swelling and sensitivity to light. Both eyes are affected. Not contagious.





6 Causes of Dilated Pupils








Constricted **Pupils** Heroin Morphine Oxycodone Fentanyl Methadone Codeine Hydrocodone



Red Eyes



Dilated

Pupils

Cocaine or Crack Benzodiazepines (i.e. Xanax) Depressants (i.e. Alcohol or Sedatives)

Methamphetamines Cocaine or Crack Hallucinogens (i.e. LSD or mushrooms) Opiates (prescription painkillers) Heroin Marijuana Speed











Υπόσφαγμα





- 1 Follow DRSABCD.
- 2 Place a light dressing over the injured eye make sure there is no pressure on the eye.
- 3 Lie the patient in a comfortable position on their back.
- 4 Ask the patient not to move their eyes.
- 5 Seek medical aid.







Μαύρο Μάτι

Παγωμένη κομπρέσα για έως 20 λεπτά Κάλυψη με αποστειρωμένο επίδεσμο Όχι άσκηση πίεσης Ιατρική βοήθεια





Bruised Queen.... #theroyals ep 6, season 3. Catch it up if you missed it 😉



Μικρού Μεγέθους Ξένα Σώματα

Στον σκληρό

Ανοιγοκλείνουμε τα βλέφαρα


Έκπλυση με φυσιολογικό ορό ή τρεχούμενο νερό


Ήπιος καθαρισμός με υγρό πανί από έσω προς τα έξω


ΑΠΟΤΥΧΙΑ

Κάλυψη με αποστειρωμένο επίδεσμο Όχι άσκηση πίεσης Ιατρική βοήθεια
























Αφαίρεση ξένων σωμάτων από τον σκληρό









Έκθεση σε Χημικές Ουσίες ή Αέρια









Έκθεση σε Χημικές Ουσίες ή Αέρια

Έκπλυση με νερό


Κάλυψη

Διακομιδή


Όχι εντριβή


Όχι κάλυψη ή πίεση













wiki How to Get Stuff out of Your Eye





THIS GUIDE WAS MADE IN SOLIDARITY WITH THE OCCUPY WALLSTREET MOVEMENT AND IS NOT DIRECTLY AFFILIATED

> METHOD BELOW USED BY MANY, INCLUDING PHOTOGRAPHERS IN GREECE DURING PROTESTS

DEFENDING AGAINST TEAR GAS

THE FOLLOWING TIPS ARE TO BE EXERCISED ONLY FOR DEFENSE PURPOSES AND IN THE EVENT OF POLICE/GOVERNMENT OFFICIALS USING TEAR GAS IN PEACEFUL PROTESTS. NEVER INCITE VIOLENCE.

ITEMS YOU WILL NEED

PAINTERS/DUST MASK **FOUND IN HARDWARE STORES**

EYE PROTECTION FOUND IN HARDWARE STORES





WATER SPRAY BOTTLE MAKE SURE WASHED OF ANY CLEANING SOLUTION

LIQUID ANTACID ANY IN LIQUID FORM SUCH AS MAALOX OR MYLANTA







HELPING YOURSELF AND OTHERS

- AFTER USING THE LIQUID ANTACID AND WATER METHOD ON YOURSELF, HOLD UP YOUR SPRAY BOTTLE AND START SHOUTING FOR PEOPLE TO COME TOWARDS YOUR VOICE FOR HELP. SPRAY THEIR FACE AND MOUTH.
- IF YOU ARE WEARING EYE PROTECTION OR A MASK, BE PROACTIVE AND KICK THE CANISTER AWAY FROM THE CROWD. IF YOU CAN KICK IT DOWN A GUTTER, OR DOUSE IT WITH WATER, YOU CAN MINIMIZE ITS IMPACT.
- STAY PEACEFUL. PEACEFUL PROTEST IS THE ONLY WAY TO BE TAKEN SERIOUSLY AND TO BE TRULY HEARD.

KNOW YOUR ENEMY

EYES, TEMPORARY BLINDNESS, ETC.

TEAR GAS IS A NON-LETHAL CHEMICAL WEAPON THAT STIMULATES THE CORNEAL NERVES IN THE EYES TO CAUSE TEARING, PAIN, AND **EVEN BLINDNESS. TEAR GAS WORKS BY IRRITATING MUCOUS** MEMBRANES IN THE EYES, NOSE, MOUTH AND LUNGS, AND CAUSES CRYING, SNEEZING, COUGHING, DIFFICULTY BREATHING, PAIN IN THE

TEAR GAS RELIEF

Liquid Antacid and Water (LAW

BE PREPARED FOR EXPOSURE. TEAR GAS IS A PARTICULATE, NOT REAL GAS, SO PAINTERS/DUST MASKS HELP.

"GREEKS HAVE BECOME SKILLED AT CHOOSING THE RIGHT PROTECTIVE GEAR, MAALOX IS A MUST." ARIS MESSINIS/AFP

1) FIND A GOOD SIZE SPRAY BOTTLE AND WASH WELL.



- 3) FILL THE REMAINING HALF OF BOTTLE WITH WATER.
- 4) WHEN EXPOSED SPRAY YOUR EYES AND MOUTH, THEN SWALLOW.

ALSO EFFECTIVE AS

PEPPER SPRAY REMEDY A UNIVERSITY OF CALIFORNIA SAN FRANCISCO-BASED STUDY HAS FOUND THAT TOPICAL APPLICATION OF ANTACIDS " FOR CAPSAICIN-INDUCED PAIN IS EFFECTIVE,

PARTICULARLY IN EARLY TREATMENT OF EXPOSURE TO REFINED CAPSAICIN."



deptofunitedwerise@hotmail.com STAY VIGILANT. STAY UNITED. STAY INFORMED. PROTECT YOUR FELLOW COUNTRYMEN. DO NOT TRUST THE MEDIA.

SOURCES:

@JasonPicard

GLOBAL POST: http://www.globalpost.com/dispatches/news/regions/europe/protestor-chic-how-greeks-prepare-tear-gas Wikia (Medic Wiki): http://medic.wikia.com/wiki/Pepper_spray_and_tear_gas WIKIPEDIA: http://en.wikipedia.org/wiki/Tear_gas

Χημικά Εγκαύματα



Immediately wash your eyes with water



If you are wearing the contact lens, remove the lens immediately



DO NOT bandage the eye




Consult your eye specialist at the earliest

Ενσφηνωμένο Ξένο Σώμα

ΜΗΝ το αφαιρείτε Κάλυψη Εφησυχασμός Διακομιδή







Foreign Body in the Eye



DO NOT rub the eye




Try to let tears wash the foreign body out or use an eyewash



Wash eye with clean water



Consult your eye specialist if foreign body sensation persists



Source: Reichman EF: Emergency Medicine Procedures, Second Edition: www.accessemergencymedicine.com Copyright © The McGraw-Hill Companies, Inc. All rights reserved.





Welder's Flash-Φωτοκερατίτιδα

Έγκαυμα κερατοειδή από έντονη UV ακτινοβολία ή άμεση έκθεση σε ηλιακό φως

Κάλυψη

Εφησυχασμός

Διακομιδή





Fireworks Cause Injuries



17% Heads, faces & ears

> 5% Torsos

46% Hands & fingers

17% Eyes

> 4% Arms

11% Legs

Safety Tips:

- Have water handy in case of an emergency
- Aim the fireworks away from flammable material and people
- Never extend body parts over the device
- Never relight a 'dud' firework




International Association of Fire Fighters

Data Source: National Fire Protection Association.



Sparklers Θερμοκρασία 1,200 degrees Fahrenheit 27% όλων των τραυματισμών από πυροτεχνήματα Μαζί με εγκαύματα 3ου βαθμού

1/6 fireworksrelated eye injuries results in permanent vision loss or blindness.



Πρόληψη των οφθαλμικών κακώσεων



Wear eye protection for all hazardous activities



Wear sunglasses while going out






















Steve Yzerman suffered a serious eye injury when hit by a puck in the 2004 playoffs. The Red Wings captain used to be opposed to wearing a visor...but changed his mind. NOW he DOES.