

Your temporary usage period for IBM SPSS Statistics will expire in 4789 days.

Frequencies

[DataSet1] C:\Users\George\Desktop\kripotos mood_motive_base.sav

Statistics

CCT1 Time		
N	Valid	239
	Missing	0
Mean		55.96
Std. Deviation		19.158

CCT1 Time


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	23	1	.4	.4	.4
	24	2	.8	.8	1.3
	26	1	.4	.4	1.7
	27	4	1.7	1.7	3.3
	28	3	1.3	1.3	4.6
	29	2	.8	.8	5.4
	30	1	.4	.4	5.9
	31	3	1.3	1.3	7.1
	32	1	.4	.4	7.5
	33	4	1.7	1.7	9.2
	34	1	.4	.4	9.6
	35	6	2.5	2.5	12.1
	36	4	1.7	1.7	13.8
	37	5	2.1	2.1	15.9
	38	6	2.5	2.5	18.4
	39	5	2.1	2.1	20.5
	40	3	1.3	1.3	21.8
	41	4	1.7	1.7	23.4
	42	6	2.5	2.5	25.9
	43	3	1.3	1.3	27.2
	44	5	2.1	2.1	29.3
	45	6	2.5	2.5	31.8
	46	7	2.9	2.9	34.7
	47	3	1.3	1.3	36.0
	48	8	3.3	3.3	39.3

CCT1 Time

	Frequency	Percent	Valid Percent	Cumulative Percent
49	6	2.5	2.5	41.8
50	4	1.7	1.7	43.5
52	4	1.7	1.7	45.2
53	3	1.3	1.3	46.4
54	9	3.8	3.8	50.2
55	5	2.1	2.1	52.3
56	5	2.1	2.1	54.4
57	3	1.3	1.3	55.6
58	7	2.9	2.9	58.6
59	4	1.7	1.7	60.3
60	7	2.9	2.9	63.2
61	5	2.1	2.1	65.3
62	3	1.3	1.3	66.5
63	5	2.1	2.1	68.6
64	5	2.1	2.1	70.7
65	9	3.8	3.8	74.5
66	9	3.8	3.8	78.2
67	4	1.7	1.7	79.9
68	1	.4	.4	80.3
69	2	.8	.8	81.2
70	3	1.3	1.3	82.4
71	3	1.3	1.3	83.7
72	5	2.1	2.1	85.8
73	3	1.3	1.3	87.0
74	1	.4	.4	87.4
75	5	2.1	2.1	89.5
78	1	.4	.4	90.0
79	1	.4	.4	90.4
80	2	.8	.8	91.2
81	3	1.3	1.3	92.5
83	1	.4	.4	92.9
85	2	.8	.8	93.7
87	2	.8	.8	94.6
89	1	.4	.4	95.0
91	1	.4	.4	95.4
92	1	.4	.4	95.8

CCT1 Time

	Frequency	Percent	Valid Percent	Cumulative Percent
94	1	.4	.4	96.2
101	1	.4	.4	96.7
103	2	.8	.8	97.5
104	1	.4	.4	97.9
108	1	.4	.4	98.3
110	1	.4	.4	98.7
126	1	.4	.4	99.2
131	1	.4	.4	99.6
138	1	.4	.4	100.0
Total	239	100.0	100.0	



Frequencies

Statistics

CCT2 Time		
N	Valid	239
	Missing	0
Mean		104.25
Std. Deviation		30.022

CCT2 Time


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	5	1	.4	.4	.4
	11	1	.4	.4	.8
	53	1	.4	.4	1.3
	54	2	.8	.8	2.1
	56	1	.4	.4	2.5
	63	1	.4	.4	2.9
	64	2	.8	.8	3.8
	65	1	.4	.4	4.2
	66	1	.4	.4	4.6
	67	3	1.3	1.3	5.9
	68	1	.4	.4	6.3
	69	1	.4	.4	6.7
	70	7	2.9	2.9	9.6
	71	4	1.7	1.7	11.3
	72	2	.8	.8	12.1
	73	2	.8	.8	13.0
	74	4	1.7	1.7	14.6
	75	2	.8	.8	15.5
	76	5	2.1	2.1	17.6
	77	3	1.3	1.3	18.8
	78	1	.4	.4	19.2
	79	2	.8	.8	20.1
	80	2	.8	.8	20.9
	81	2	.8	.8	21.8
	82	3	1.3	1.3	23.0
	83	5	2.1	2.1	25.1
	84	3	1.3	1.3	26.4
	85	3	1.3	1.3	27.6
	86	6	2.5	2.5	30.1

CCT2 Time

	Frequency	Percent	Valid Percent	Cumulative Percent
87	2	.8	.8	31.0
89	1	.4	.4	31.4
90	2	.8	.8	32.2
91	8	3.3	3.3	35.6
92	4	1.7	1.7	37.2
93	4	1.7	1.7	38.9
94	3	1.3	1.3	40.2
95	5	2.1	2.1	42.3
96	3	1.3	1.3	43.5
97	5	2.1	2.1	45.6
98	2	.8	.8	46.4
99	4	1.7	1.7	48.1
100	3	1.3	1.3	49.4
101	2	.8	.8	50.2
102	3	1.3	1.3	51.5
103	5	2.1	2.1	53.6
104	3	1.3	1.3	54.8
105	2	.8	.8	55.6
106	6	2.5	2.5	58.2
107	6	2.5	2.5	60.7
108	1	.4	.4	61.1
110	5	2.1	2.1	63.2
112	6	2.5	2.5	65.7
113	2	.8	.8	66.5
114	3	1.3	1.3	67.8
115	7	2.9	2.9	70.7
116	2	.8	.8	71.5
117	1	.4	.4	72.0
118	1	.4	.4	72.4
119	2	.8	.8	73.2
120	3	1.3	1.3	74.5
121	3	1.3	1.3	75.7
122	2	.8	.8	76.6
123	2	.8	.8	77.4
124	4	1.7	1.7	79.1
125	1	.4	.4	79.5

CCT2 Time

	Frequency	Percent	Valid Percent	Cumulative Percent
126	3	1.3	1.3	80.8
127	3	1.3	1.3	82.0
128	1	.4	.4	82.4
130	4	1.7	1.7	84.1
131	2	.8	.8	84.9
132	2	.8	.8	85.8
133	3	1.3	1.3	87.0
134	1	.4	.4	87.4
136	1	.4	.4	87.9
137	2	.8	.8	88.7
138	1	.4	.4	89.1
139	2	.8	.8	90.0
140	1	.4	.4	90.4
141	1	.4	.4	90.8
142	2	.8	.8	91.6
145	1	.4	.4	92.1
151	1	.4	.4	92.5
154	2	.8	.8	93.3
155	1	.4	.4	93.7
156	1	.4	.4	94.1
159	2	.8	.8	95.0
160	1	.4	.4	95.4
163	1	.4	.4	95.8
168	1	.4	.4	96.2
174	1	.4	.4	96.7
177	1	.4	.4	97.1
178	1	.4	.4	97.5
180	1	.4	.4	97.9
181	1	.4	.4	98.3
183	1	.4	.4	98.7
200	1	.4	.4	99.2
203	1	.4	.4	99.6
204	1	.4	.4	100.0
Total	239	100.0	100.0	



T-Test

One-Sample Statistics

	N	Mean	Std. Deviation	Std. Error Mean
CCT2 Time	239	104.25	30.022	1.942

One-Sample Test

Test Value = 100						
	t	df	Sig. (2-tailed)	Mean Difference	95% Confidence Interval of the Difference	
					Lower	Upper
CCT2 Time	2.187	238	.030	4.247	.42	8.07

T-Test

One-Sample Statistics

	N	Mean	Std. Deviation	Std. Error Mean
CCT1 Time	239	55.96	19.158	1.239

One-Sample Test

Test Value = 50						
	t	df	Sig. (2-tailed)	Mean Difference	95% Confidence Interval of the Difference	
					Lower	Upper
CCT1 Time	4.808	238	.000	5.958	3.52	8.40

T-Test

LeveneY0: Den iparxei diafora sto platos tis katanomis metaksi ton dio omadon (variances einai idia)Ye: Yparxoun diafores

Group Statistics

0= Male, 1= Female		N	Mean	Std. Deviation	Std. Error Mean
panasA1	male	100	4.14	.943	.094
	female	116	3.89	.994	.092

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means	
		F	Sig.	t	df
panasA1	Equal variances assumed	.064	.800	1.903	214
	Equal variances not assumed			1.911	212.007

Independent Samples Test

		t-test for Equality of Means			
		Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence ... Lower
panasA1	Equal variances assumed	.058	.252	.132	-.009
	Equal variances not assumed	.057	.252	.132	-.008

Independent Samples Test

		t-test for Equality of ...
		95% Confidence ...
		Upper
panasA1	Equal variances assumed	.513
	Equal variances not assumed	.512